

Arthritis - (Calculated Variable)*
Kentucky BRFSS 2001

Geographic Groups	Total Respond.#	Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
TOTAL	7509	3527	41.2	(39.7-42.9)	3982	58.8	(57.1-60.3)
ADDs							
Barren River	531	256	42.9	(38.2-47.7)	275	57.1	(52.3-61.8)
Big Sandy	435	262	55.1	(49.5-60.5)	173	44.9	(39.5-50.5)
Bluegrass	527	214	38.7	(33.8-43.8)	313	61.3	(56.2-66.2)
Buffalo Trace	421	172	37.6	(29.3-46.7)	249	62.4	(53.3-70.7)
Cumberland Valley	465	262	53.0	(47.7-58.2)	203	47.0	(41.8-52.3)
FIVCO	562	299	48.8	(44.0-53.6)	263	51.2	(46.4-56.0)
Gateway	580	263	40.5	(35.2-46.0)	317	59.5	(54.0-64.8)
Green River	413	182	38.7	(33.4-44.2)	231	61.3	(55.8-66.6)
Kentucky River	483	262	48.5	(43.3-53.8)	221	51.5	(46.2-56.7)
KIPDA	560	222	36.9	(32.5-41.6)	338	63.1	(58.4-67.5)
Lake Cumberland	487	235	43.4	(38.4-48.5)	252	56.6	(51.5-61.6)
Lincoln Trail	497	213	38.6	(34.0-43.5)	284	61.4	(56.5-66.0)
Northern Kentucky	554	227	38.8	(34.4-43.4)	327	61.2	(56.6-65.6)
Pennyrile	442	201	41.6	(36.6-46.8)	241	58.4	(53.2-63.4)
Purchase	552	257	42.5	(37.9-47.2)	295	57.5	(52.8-62.1)

*For this calculated variable 'Yes' means that respondents have either chronic joint symptoms or have ever

been told by a doctor that they have arthritis. Response is generalized to the state population

#Use caution in interpreting data for total respondents less than 50. N = Cell Size, NH = Non-Hispanic, %

= Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level).

Percentages are weighted to population characteristics.

Unless stated differently above, Missing, 'Don't know', and Refused responses are excluded.